









### For New Mid to High Rise Residential and all New Non-Residential Development

Complete in conjunction with the full Toronto Green Standard and Specifications.

The Toronto Green Standard (TGS) is a two-tier set of performance measures, with supporting guidelines for new development. Its purpose is to promote sustainable site and building designs that address Toronto's urban environmental pressures: air quality, climate change and energy efficiency, water quality and efficiency, ecology and solid waste.

This Checklist is part of a Complete Application. It must contain adequate detail on how the design meets the Toronto Green Standard. The Checklist must also reference the appropriate plans, drawings and reports that demonstrate compliance with the performance measures. Complete the Checklist in conjunction with the appropriate Standard that applies to the development type, including the Specifications, Definitions and Resources column that provides more information on how to comply. The Checklist is completed by the project architect or planning consultant and is submitted to City Planning staff as part of your development application.

Application Submitted			
☐ Site Plan Control ☐ Zoning	Bylaw Amendment $\Box$	Draft Plan of Subdivision	
Office Use Only			
District Offices: North York District	☐ Toronto East York District	☐ Scarborough District	☐ Etobicoke York District
Date Received:	Planner:		Application No.:
Is this checklist revised from an earlier subn	nission?		
Property and Applicant			
Address of Subject Land (Street Number/Na	me):		
Applicant/Agent			
Name:	Telephone:	E-mail:	Registered Owner:
Proposal Description			
Gross Floor Area: No	ımber of Storeys:	Number of Units:	_
Project Information (include a narrative of yo	our project highlighting green attrib	utes or performance measures)	
<ul> <li>Tier 1 performance measures are required by the</li> <li>Tier 2 performance measures are voluntary with h</li> </ul>	·		a refund of development charges equivalent to 20% of the 2014 rate.
Check here if you intend to achieve Tier 2			a







For New Mid to High Rise Residential and all New Non-Residential Development Complete in conjunction with the <u>full</u> Toronto Green Standard and Specifications.

#### **TIER 1: AIR QUALITY**

Section	Development Feature	Tier 1 Required Performance Measure Summary	<b>Description</b> (How is this performance measure being met?)	Reference the Plans, Drawings or Reports
AQ 1.1	Low-Emitting Vehicle Spaces <b>EXAMPLE</b>	Physical provision for future electric vehicle charging (residential) or dedicated priority parking spaces (non-residential) for parking above minimum requirement	A minimum of 100 automobile parking spaces are required under the Zoning Bylaw.  115 automobile parking spaces are provided for this development.  Dedicated carpool parking is provided for 15 spaces.	Site Plan # A1-01 Underground Garage Plan# Other #
AQ 1.1	Low-Emitting Vehicle Spaces	Physical provision for future electric vehicle charging (residential) or dedicated priority parking spaces (non-residential) for parking above minimum requirement		Site Plan # Underground Garage Plan # Other #
AQ 2.1	Bicycle Parking Rates	Minimum bicycle parking rates		Site Plan # Underground Garage Plan # Other #
AQ 2.2	Long-term bicycle parking location	Long-term parking in secure bicycle parking facility or purpose-built bicycle locker		Site Plan # Underground Garage Plan # Other #
AQ 2.3	Short-term bicycle parking location	Short-term bicycle parking in a highly visible and publicly accessible location		Site Plan # Underground Garage Plan # Other #
AQ 2.4	Shower & change facilities	Shower and change facilities (non-residential only)		Site Plan # Other #



For New Mid to High Rise Residential and all New Non-Residential Development Complete in conjunction with the <u>full</u> Toronto Green Standard and Specifications.

Section	Development Feature	Tier 1 Required Performance Measure Summary	<b>Description</b> (How is this performance measure being met?)	Reference the Plans, Drawings or Reports
AQ 3.1	Connectivity	Safe, accessible pedestrian routes that connect with off-site pedestrian networks and priority destinations		Floor Plan # Other #
AQ 3.2	Sidewalk space	Pedestrian clearway at least 2.1 m wide to accommodate pedestrian flow		Site Plan # Landscape Plan # Other #
AQ 3.3	Weather protection	Covered outdoor waiting areas		Site Plan # Other #
AQ 3.4	Pedestrian specific lighting	Pedestrian scale lighting		Site Plan # Building Cross-section# Other #
AQ 4.1	Urban Heat Island Reduction: At Grade	One of the following is provided:  High-albedo surface materials OR  Open grid pavement OR  Shade within 5 years of construction OR  Shade from structures covered by solar panels OR  Combination of above options  Place 50% required parking spaces under cover (non-residential option only)		Landscape Plan # Other #



For New Mid to High Rise Residential and all New Non-Residential Development Complete in conjunction with the <u>full</u> Toronto Green Standard and Specifications.

Section	Development Feature	Tier 1 Required Performance Measure Summary	<b>Description</b> (How is this performance measure being met?)	Reference the Plans, Drawings or Reports
AQ 5.1	Green & cool roofs	Choose the applicable category:  ☐ Green roof By-law applies <b>OR</b> ☐ Green roof by-law does not apply <b>OR</b> ☐ City-owned buildings and all Agencies, Boards, Commissions and Corporations (ABCCs)		Site Plan # Roof Plan # Other #

#### **TIER 1: GREENHOUSE GAS EMISSIONS/ENERGY EFFICIENCY**

Section	Development Feature	Tier 1 Required Performance Measure Summary	<b>Description</b> (How is this performance measure being met?)	Reference the Plans, Drawings or Reports
GHG 1.1	Energy efficiency	Design building(s) to achieve Supplementary Standard SB-10 (OBC 2017)		<ul> <li>□ Design Development Stage Energy Report</li> <li>OR</li> <li>□ Small Buildings Checklist</li> </ul>
GHG 1.2	On-site renewable energy	City-owned buildings and all ABCCs: Install renewable energy devices		☐ Feasibility study







For New Mid to High Rise Residential and all New Non-Residential Development Complete in conjunction with the <u>full</u> Toronto Green Standard and Specifications.

### **TIER 1: WATER QUALITY, QUANTITY AND EFFICIENCY**

Section	Development Feature	Tier 1 Required Performance Measure Summary	<b>Description</b> (How is this performance measure being met?)	Reference the Plans, Drawings or Reports
WQ 1.1	Erosion & sediment control	Adherence to Erosion and Sediment Control Guidelines for Urban Construction		Site Grading Plan # Other #
WQ 2.1	Stormwater balance	Stormwater retained on-site to the same level of annual volume allowable under pre-development conditions		☐ Stormwater Management Report Site Grading Plan # Other #
WQ 2.2	Stormwater retention & reuse	One of the following is provided:  The first 5mm from each rainfall retained on-site <b>OR</b> Maximum allowable annual runoff volume is no more than 50% of the total average annual rainfall depth		☐ Stormwater Management Report Site Grading Plan # Other #
WQ 3.1	Total suspended solids (TSS)	Remove 80% of total suspended solids based on the post-development level of imperviousness		☐ Stormwater Management Report Site Grading Plan # Other #
WQ 3.2	E. Coli reduction	Control the amount of E. Coli directly entering Lake Ontario and waterfront areas		☐ Stormwater Management Report Site Grading Plan # Other #
WQ 4.1	Drought-tolerant landscapes	Water efficient plant material provided for at least 50% of landscaped site area		Landscape Plan # Other #









For New Mid to High Rise Residential and all New Non-Residential Development Complete in conjunction with the **full** Toronto Green Standard and Specifications.

### **TIER 1: ECOLOGY**

Section	Development Feature	Tier 1 Required Performance Measure Summary	<b>Description</b> (How is this performance measure being met?)	Reference the Plans, Drawings or Reports
EC 1.1	Tree protection	Adherence to the Tree Protection Policy and Specifications for Construction Near Trees		☐ Arborist Report Site Plan # Landscape Plan # Tree Preservation Plan # Other #
EC 1.2	Preservation of mature trees	Protect and retain all trees that are 30 cm or more DBH from injury or removal		☐ Arborist Report Site Plan # Landscape Plan # Tree Preservation Plan # Other #
EC 1.3	Ravine protection	Within the Ravine Protected Area, protect and retain trees of all diameters		☐ Arborist Report Site Plan # Landscape Plan # Tree Preservation Plan # Other #
EC 1.4	Street tree retention	Protect and retain all trees adjacent to City of Toronto streets and roadways and City-owned Parkland		☐ Arborist Report Site Plan # Landscape Plan # Tree Preservation Plan # Other #
EC 2.1	Tree planting	Tree canopy cover distributed across site area and public boulevard		Landscape Plan # Other #
EC 2.2	Soil volumes	Provide all trees planted with a minimum volume of 30 m³ of high quality soil per tree		Landscape Plan # Other #



For New Mid to High Rise Residential and all New Non-Residential Development Complete in conjunction with the <u>full</u> Toronto Green Standard and Specifications.

Section	Development Feature	Tier 1 Required Performance Measure Summary	<b>Description</b> (How is this performance measure being met?)	Reference the Plans, Drawings or Reports
EC 2.3	Trees along street frontages	Plant large shade trees along all street frontages		Landscape Plan # Other #
EC 2.4	Trees in parking lots	Plant shade trees throughout the parking lot interior		☐ Arborist Report  Landscape Plan #  Other #
EC 2.5	Watering program	Provide a watering program for trees for at least the first 2 years after planting		☐ Arborist Report  Landscape Plan #  Other #
EC 3.1	Biodiversity in landscapes	Plant landscaped site area using a minimum of 50% native species		☐ Arborist Report  Landscape Plan #  Other #
EC 3.2	Ravines and natural areas buffers	Where a setback from top-of-bank is required, plant landscaped area of the setback with native species		Landscape Plan # Other #
EC 3.3	Invasive species	No invasive species on properties along streets abutting ravines and natural areas		Landscape Plan # Other #









For New Mid to High Rise Residential and all New Non-Residential Development Complete in conjunction with the <u>full</u> Toronto Green Standard and Specifications.

Section	Development Feature	Tier 1 Required Performance Measure Summary	<b>Description</b> (How is this performance measure being met?)	Reference the Plans, Drawings or Reports
EC 4.1	Bird friendly glazing	Treat a minimum of 85% of all exterior glazing within the first 12m of the building above grade, using a combination of the following strategies:  Low reflectance, opaque materials Visual markers Muted reflections  For City-owned and all Agencies, Boards, Commissions and Corporations: Treat all exterior glazing within 16 m of the building above grade as per EC 4.1. Visual markers must have maximum spacing of 50 mm x 50 mm.		Landscape Plan # Other # Elevation Plans #
EC 4.2	Rooftop vegetation	Treat the first 4 m of glazing above the feature		Landscape Plan # Other #
EC 4.3	Grate porosity	Ensure ground level grates have a porosity of less than 20 mm x 20 mm (or 40 mm x 10 mm)		Landscape Plan # Other #
EC 5.1	Exterior lighting	Shield all exterior light fixtures		Site Plan# Landscape Plan # Building Elevation # Other#









For New Mid to High Rise Residential and all New Non-Residential Development Complete in conjunction with the **full** Toronto Green Standard and Specifications.

#### **TIER 1: SOLID WASTE**

Section	Development Feature	Tier 1 Required Performance Measure Summary	<b>Description</b> (How is this performance measure being met?)	Reference the Plans, Drawings or Reports
SW 1.1	Waste collection & sorting	Residential: Provide a waste sorting system		Floor Plan # Other #
SW 1.2	Waste storage spaces	Residential: Provide easily accessible waste storage room		Site Plan # Underground Garage Plan # Floor Plan # Other #
SW 1.3	Bulky waste	Residential: Provide a minimum of 10 m² for bulky items and additional diversion programs		Site Plan # Underground Garage Plan # Floor Plan # Other #